

Price List 2023

SLIDING DOOR GEAR FLOOD PROTECTION ROLLER GARAGE DOORS ROLLER SHUTTERS

T: 01792 583555

E: sales@kingslidingdoorgear.com www.kingslidingdoorgear.com















Using This Price List

The price list is sectioned for easy reference of the gear items required for each type of door gear system. To avoid excessive repetition of components common to several door systems each section refers back to duplicated items.

Wherever possible the listings follow the format of the appropriate catalogue. A catalogue page number is also listed against each item where full information on the item can be found.

To assist with order accuracy always quote the item number and description.

Contents

STRAIGHT SLIDING DOOR GEAR

Section 1	Straight sliding door gear (track, track brackets, hangers, guides, channel and furniture)	Pages 1-3

SLIDING FOLDING AND SLIDE ASIDE DOOR AND PARTITION GEAR

Section 3	Fittings		Page 5
-----------	----------	--	--------

ROLLAWAY BOTTOM RUNNING STRAIGHT SLIDING DOOR GEAR

Section 4	Guide brackets, guide channel, guides, trolley track and furniture	Page 4
-----------	--	--------

SLIDING FOLDING AND SLIDE ASIDE DOOR AND PARTITION GEAR

Section 5	Hangers and bracket adaptor plates	Pages 6-/
Roller Shutte	ers	Page 8
Roller Garag	e Doors	Page 9
Flood Protec	tion	Page 10

STRAIGHT SLIDING DOOR GEAR (see Selection and Specifier Guide for full details)

TRACKS	ITEM SIZE	SIZE 0	SIZE 1	SIZE 2	CAT PAGE
	2 mtr	74.00	100.00	134.00	6
	2.5 mtr	92.50	125.50	167.50	6
	3 mtr	111.00	150.00	201.00	6
	4 mtr	148.00	200.00	268.00	6
(\cup)	5 mtr	185.00	250.00	335.00	6
U	6 mtr	222.00	300.00	402.00	6

BRAC	KETS	ITEM CODE	SIZE 0	ITEM CODE	SIZE 1 CO	EM ODE SIZE 2	ITEM CODE	CAT PAGE
Open sidewall	66	716/0	14.50	716/1	21.75	716/2	37.32	7
Closed sidewall	5	717/0	20.44	717/1	28.27	717/2	37.55	7
Double open sidewall	9	735/0	44.06	735/1	81.40	735/2	88.52	7
Double closed sidewall		736/0	54.66	736/1	113.47	736/2	115.05	7
Open parallel ear	ij			737/1	38.64	737/2	75.13	7
Closed parallel ear	ij			738/1	44.31	738/2	96.65	7
Open parallel ear steel	Ū			737S/1	25.70	737S/2	26.86	8
Closed parallel ear	Ħ			738S/1	37.58	7385/2	49.44	8
Open fascia bracket	1			739/1	74.90	739/2	75.38	8
Closed fascia bracket	働			740/1	76.19	740/2	78.05	8
Open side ear bracke	t 🎁	741/0	23.85					7
Closed side ear bracket	16	742/0	27.07					7
Open side ear	T			741/1	39.28	741/2	64.96	8
Closed side ear	T			742/1	50.54	742/2	64.67	8
Open parallel ear	T			743/1	32.74	743/2	83.50	8
Closed parallel ear	T			744/1	40.09	744/2	91.03	8

BRACKETS	ITEM CODE	SIZE 0	ITEM CODE	SIZE 1	ITEM CODE	SIZE 2	CAT PAGE
Open double side ear			748/1	49.08	748/2	114.97	8
Closed double side ear			749/1	58.68	749/2	121.43	8
Open triple sidewall			754/1	136.38	754/2	146.97	8
Closed triple sidewall			755/1	148.87	755/2	157.70	8
Open double sidewall			756/1	97.23	756/2	97.23	7
Closed double sidewall			757/1	137.83	757/2	145.95	7
EXTRAS: For joint	ing brackets add £	2.42 per single,	£4.20 per doul	ble, £5.96 per t	riple. Clip end	size 0 bracket i	£2.38 each.
HANGERS	ITEM CODE	SIZE 0	ITEM CODE	SIZE 1	ITEM CODE	SIZE 2	CAT PAGE
hanger 📥	ylon 709B/0 Steel	52.02	709B/1 709BS/1	81.46 111.98	709B/2 709BS/2	113.57 122.50	9
low	ylon 709S/0 Steel	32.00	709S/1 709SS/1	69.78 98.00	709S/2 709SS/2	118.82 118.82	9
	ylon Steel		708S/1 708SS/1	60.08 73.50	708S/2 708SS/2	91.63 106.71	9
7.5 Hallgel	ylon Steel		708S4/1 708S4S/1	62.65 77.13	708S4/2 708S4S/2	94.73 109.30	9
hanger	ylon Steel		708S7/1 708S7S/1	65.21 79.60	708S7/2 708S7S/2	96.97 111.52	9
double	ylon Steel		708B/1 708BS/1	67.26 81.02	708B/2 708BS/2	96.62 111.18	9
hanger -	ylon Steel		708D/1 708DS/1	67.16 81.70	708D/2 708DS/2	96.62 111.18	9
hanger	ylon Steel		708E/1 708ES/1	65.47 80.02	708E/2 708ES/2	96.62 111.18	9

GUIDES	ITEM CODE	EACH	CAT PAGE
6G guide	6G	30.37	10
6H guide	6H	51.56	10
7G guide	7G	47.21	10
7H guide	7H	63.35	10
8G guide	8G	66.29	10
9G guide	9G	21.99	10
11G guide	11G	30.88	10
11GB guide brass roller	11GB	27.18	10
13G guide	13G	29.33	10
13GB guide brass roller	13GB	37.85	10
13H guide	13H	32.43	11

GUIDES	ITEM CODE	EACH	CAT PAGE
19G guide	19G	31.26	11
15G guide	15G	34.11	11
22G guide	22G	20.05	11
22GB guide brass	22GB	20.80	11
23G guide	23G	23.41	11
23GB guide brass	23GB	30.20	11
23H guide	23H	50.75	11
23H guide extended	23HE	59.63	11
24G guide	24G	32.56	11
24GB guide	24GB	38.57	11

CHANNEL	SIZE	6A	6A drilled	8	8 lugged	10	10 lugged	12	12 lugged	14	14 lugged	CAT PAGE
		Ш	Ш	U	U	U	U	Ш	Ш			
	2 mtr	64.20	64.20	64.80	63.52	64.72	70.20	68.77	69.60	122.16	126.00	12
	2.5 mtr	66.00	68.40	73.20	81.25	82.80	92.40	105.60	108.00	151.20	162.00	12
	3 mtr	96.00	98.40	99.60	116.20	102.00	102.00	127.20	134.40	155.04	189.20	12
	4 mtr	127.20	132.00	126.00	127.20	132.00	132.00	168.00	180.00	243.60	253.20	12
	5 mtr	159.60	165.60	151.00	157.20	170.40	170.40	212.40	224.40	258.06	316.80	12
	6 mtr	192.00	199.20	181.20	192.00	199.20	199.20	256.80	268.80	311.10	379.20	12

Standard lengths as tracks

Specify 2', 2.25" or 2.5" width

FURNITURE	ITEM CODE	EACH	CAT PAGE	Suitable for all track sizes	FURNITURE	ITEM CODE	EACH	CAT PAGE
Bow handle	4521	20.58	13		Centre stop	773	31.61	13
Heavy duty bow	D111	48.76	13		Drop bolt 18"	8051	78.20	13
Flush handle	770	37.15	13		Cranked locking bar	919	87.66	13
Wall fixing door stop	WS1	34.72	13		Hasp and staple	215	129.16	13
Floor stop single doors	FS1	61.16	13		Locking bar	1515	68.11	13

GUIDES	ITEM CODE	EACH	CAT PAGE
D119 heavy duty guide for 28 channel	D119	41.24	14
TROLLEYS	ITEM CODE	EACH	CAT PAGE
44			
trolley for timber or steel doors	44	548.80	10

OVERHEAD RUNWAYS AND CURTAINS (see Selection and Specifier Guide for full details)

HANGERS	ITEM CODE	SIZE 0	ITEM CODE	SIZE 1	ITEM CODE	SIZE 2	CAT PAGE
two wheel curtain	50	29.94	•	•	•	•	2
55 two wheel curtain trolley	55	42.19					2
TTR 60 Two wheel hanger			TTR 60	45.38			2
TTR 708 Hanger 4 wheel			TTR 708/1	74.57	TTR 708/2	103.40	2
TTR 708 Hanger 4 wheel Steel			TTR 708/1	90.87	TTR 708/2	119.71	2
TTR 708H Hanger 8 wheel			TTR 708H/1	102.67	TTR 708H	138.57	2

SLIDING FOLDING & SLIDE ASIDE DOOR AND PARTITION DOOR GEAR

(see Selection and Specifier Guide for full details)

Track, brackets and channel are as Straight Sliding door Gear - see previous section.

FITTINGS	ITEM CODE	SIZE 0	ITEM CODE	SIZE 1	ITEM CODE	SIZE 2	CAT PAGE
Hanger	68F	44.39					17
Intermediate hinge			725/1	67.15	725/2	67.15	17
Service Door hinge			725A/1	83.94	725A/2	83.94	17
Jamb hinge			729/1	39.99	729/2	39.99	17
Intermediate hanger			761/1	118.09	761/2	118.19	17
Service door hanger			761A/1	118.09	761A/2	118.19	17
End hanger			762/1	89.44	762/2	89.44	17
Intermediate guide			763/1	51.66	763/2	51.66	17
Service door guide			763A/1	75.86	763A/2	75.86	17

FITTINGS	ITEM CODE	SIZE 0	ITEM CODE	SIZE 1	ITEM CODE	SIZE 2	CAT PAGE
End guide	•	•	764/1	34.79	764/2	34.70	7/8/1
Heavy duty intermediate hanger							8
Heavy duty intermediate hinge							8
Heavy duty dintermediate guide							8
Heavy duty & end nanger							8
deavy duty end guide							8
Heavy duty jamb hinge							8

^{*}All hangers (pendant) have steel wheels as standard

FI	TTINGS	ITEM CODE	SIZE 1	CAT PAGE	SIZE 2	CAT PAGE	FITTINGS	ITEM CODE	EACH	CAT PAGE
Track bend 2'0"		1RAD 20	588.00	000	588.00	11	Size 10 Channel bend 2'0"	10RAD 20	588.00	11
Track bend 2'6'	6	1RAD 26	588.00	000	588.00	11	Size 10 Channel bend 2'6"	10RAD 26	588.00	11
Roller guide bolt	4	137A	56.02			11	Size 12 Channel bend 2'0"	12RAD 20	588.00	11
							Size 12 Channel bend 2'6"	12RAD 26	588.00	11

COMMERCIAL & INDUSTRIAL ROLLER SHUTTERS





- Industrial Units
- Warehouse Doors
- Farm Buildings



SECURITY SHUTTERS







- Homes
- Offices
- Schools & Surgeries

A quality, high specification aluminium roller garage door.

- Clean contemporary design, in a range of colours
- Vertical travel allows total use of space in front of the garage
- The door rolls into a compact housing (300mm x 300mm) which barely intrudes into the garage headroom, allowing full use of the roof area for storage
- Where there is restricted headroom we offer a smaller specification door, a 205mm x 205mm box, 65mm rails and a 38mm extruded aluminium profile
- Convenient operation of the garage door by radio remote from your vehicle (optional)
- Excellent security no external locks to be tampered with
- Insulated aluminium profiles reduce sound and heat passage
- Manufactured to internationally recognised standards















Distributors of Lakeside Flood Solutions

www.lakesidefloodsolutions.co.uk



"Lakeside's enthusiasm was supported by comprehensive testing and product literature... we couldn't find a comparable system that had been tested to the same conditions."

Giles Williams, Senior Quantity Surveyor, KIER Construction

Essex County Cricket Ground, on behalf of KIER Construction.





"Based on comparison barrier systems... the main benefits of the Lakeside system include:

- Ease of installation and removal
- Small number of components
- The quality and aesthetics
- Technical support and advice given by Lakeside
- Cost comparison with other systems

Terry Kirwan BSc.(Hons) M.I.E.I. **Project Management Consultant** for Selfridges Group SELFRIDGES CO

Brown Thomas Cork, Selfridges Group.



"The installers are excellent ambassadors for your company - very polite and diligent. I preferred your barrier system over any other on the market."

Keith Monk, Retired Regional **Engineer for Siemens**

Residential Driveway, Cumbria.

"I would like to thank you for your effort in getting the barriers fitted so quickly for us and also ask you to pass on our thanks to the fitters who were also excellent."

Steven Brookfield, Commercial Director, **KIER Services**



Residential Front Door Essex.







































T 01792 583555